



US PATENT & TRADEMARK OFFICE

PATENT FULL TEXT AND IMAGE DATABASE

[Help](#)[Home](#)[Boolean](#)[Manual](#)[Number](#)[Order Copy](#)[PTDLs](#)[Next List](#)[Bottom](#)[Shopping Cart](#)

Searching 1976-2000...

Results of Search in 1976-2000 db for:

ACLM/"consists essentially": 18503 patents.

Hits 1 through 50 out of 18503

[Next 50 Hits](#)[Jump To](#)[Refine Search](#)

PAT.
NO.

Title

- 1 [6,084,311](#) [Method and apparatus for reducing resin bleed during the formation of a semiconductor device](#)
- 2 [6,084,221](#) [Aluminum nitride heater](#)
- 3 [6,084,142](#) [Method of making an improved zeolite catalyst, a product from such method, and the use thereof in the conversion of hydrocarbons](#)
- 4 [6,084,057](#) [Polarizable amines and polyimides for optical alignment of liquid crystals](#)
- 5 [6,084,055](#) [Method for preparing poly\(1,4-cyclohexanedicarboxylates\)](#)
- 6 [6,084,011](#) [Freeze/thaw resistant cementitious adhesive for composite materials and method for production thereof](#)
- 7 [6,083,994](#) [Aqueous bactericidal compositions based on synergistic combination of linear alkylbenzenesulfonates and n-propanol](#)
- 8 [6,083,935](#) [Biocompatible aqueous solution for use in continuous ambulatory peritoneal dialysis](#)
- 9 [6,083,918](#) [Use of collagen for the treatment of degenerative articular processes](#)
- 10 [6,083,902](#) [Recombinant fibrin chains, fibrin and fibrin-homologs](#)
- 11 [6,083,837](#) [Fabrication of components by coining](#)
- 12 [6,083,662](#) [Methods of imaging and printing with a positive-working infrared radiation sensitive printing plate](#)
- 13 [6,083,611](#) [Roll wrap film](#)
- 14 [6,083,498](#) [Chemical attractants for yellowjackets and paper wasps](#)
- 15 [6,083,473](#) [Selective oxidation catalyst, preparation and use thereof](#)
- 16 [6,083,427](#) [Stabilized matrix for photochromic articles](#)

- 17 [6,083,408 Depth-type filter for killing microorganisms and inactivating viruses which comprises a fibrous material and crosopovidone-iodine and its use](#)
- 18 [6,083,297 Gas dehydration membrane with low oxygen and nitrogen permeability](#)
- 19 [6,083,288 Fuel stabilizers](#)
- 20 [6,082,535 Protective covering for a cell phone or a pager](#)
- 21 [6,082,238 Spacers in and for cutting devices](#)
- 22 [6,081,482 Semi-recursive imaging under complex velocity structures](#)
- 23 [6,081,416 Lead frames for mounting ceramic electronic parts, particularly ceramic capacitors, where the coefficient of thermal expansion of the lead frame is less than that of the ceramic](#)
- 24 [6,080,888 Preparation of olefinic compounds and carboxylic derivatives thereof](#)
- 25 [6,080,801 Multi-component material and process for its preparation](#)
- 26 [6,080,695 Low light transmission neutral gray glass](#)
- 27 [6,080,680 Method and composition for dry etching in semiconductor fabrication](#)
- 28 [6,080,603 Fixtures and methods for lead bonding and deformation](#)
- 29 [6,080,464 Reflector for a radiating luminous source and use of the same](#)
- 30 [6,080,419 Prevention of dental calculus formation with polycarboxylic acids](#)
- 31 [6,080,375 Exhaust gas purification catalyst with improved hydrocarbon conversion](#)
- 32 [6,080,359 Maraging steel](#)
- 33 [6,080,331 Glycol based antifreeze concentrates inhibited with monocarboxylic acid salts together with hydrocarbon-triazoles and/or -thiazoles](#)
- 34 [6,080,281 Scrubbing of contaminants from contaminated air streams with aerogel materials with optional photocatalytic destruction](#)
- 35 [6,079,357 Plasma processing apparatus](#)
- 36 [6,079,356 Reactor optimized for chemical vapor deposition of titanium](#)
- 37 [6,078,028 Solderless ceramic igniter having a leadframe attachment](#)
- 38 [6,077,942 Process of controlling particle size of naphthoquinone diazide esters](#)
- 39 [6,077,819 Azeotropes of chlorofluoroethanes of the formula \$CF_3CCl_{2+x}F_{1-x}\$ with HF and manufacturing processes therewith](#)
- 40 [6,077,759 Method of producing semiconductor device](#)
- 41 [6,077,691 High level expression of polypeptide that contains modified preS1 region of hepatitis B virus large antigen](#)
- 42 [6,077,596 Coated hard tool having multi-layer coating](#)
- 43 [6,077,592 Wiper blade](#)
- 44 [6,077,541 Omeprazole formulation](#)
- 45 [6,077,482 Method for treating organohalogen compounds with catalyst](#)
- 46 [6,077,453 Ferrite, and transformer and method for driving it](#)
- 47 [6,076,756 Superelastic, lightweight bail wire for spinning fishing reels](#)
- 48 [6,076,393 Method of measuring a gas component and sensing device for measuring the gas component](#)
- 49 [6,076,318 Interlocking puzzle](#)

50 6,076,229 Aqueous cleaning solutions incorporating ozone-resistant surfactants with low foam characteristics

[Next List](#)[Top](#)[Shopping Cart](#)[Help](#)[Home](#)[Boolean](#)[Manual](#)[Number](#)[Order Copy](#)[PTOLs](#)

EXHIBIT B



US PATENT & TRADEMARK OFFICE

PATENT FULL TEXT AND IMAGE DATABASE

[Help](#)[Home](#)[Boolean](#)[Manual](#)[Number](#)[Order Copy](#)[PTOLs](#)[Next List](#)[Bottom](#)[Shopping Cart](#)

Searching 1976-2000...

Results of Search in 1976-2000 db for:

ACLM/"essentially": 128286 patents.

Hits 1 through 50 out of 128286

[Next 50 Hits](#)[Jump To](#) [Refine Search](#)

- | PAT.
NO. | Title |
|-------------|---|
| 1 | 6,085,248 Media access control transmitter and parallel network management system |
| 2 | 6,085,060 Fixing station for fixing toner images on a carrier material with a moveable flap device |
| 3 | 6,084,990 Image reading and displaying apparatus |
| 4 | 6,084,964 Mechanical automatic pushbutton dialing device for telephones |
| 5 | 6,084,779 Ground and power patches on printed circuit board signal planes in the areas of integrated circuit chips |
| 6 | 6,084,683 Optical detection apparatus for chemical analyses of small volumes of samples |
| 7 | 6,084,675 Adjustable beam alignment compensator/retarder with application in spectroscopic ellipsometer and polarimeter systems |
| 8 | 6,084,674 Parallelogram shaped optical retarder element for use in spectroscopic ellipsometer and polarimeter systems |
| 9 | 6,084,666 Apparatus for multiple positioning of a planar sample at a repeatable distance and angle from a testing device |
| 10 | 6,084,555 Spectacle type display device |
| 11 | 6,084,311 Method and apparatus for reducing resin bleed during the formation of a semiconductor device |
| 12 | 6,084,289 Semiconductor processing method of forming a contact opening to a region adjacent a field isolation mass, and a semiconductor structure |
| 13 | 6,084,263 Power device having high breakdown voltage and method of manufacturing the same |
| 14 | 6,084,245 Field emitter cell and array with vertical thin-film-edge emitter |
| 15 | 6,084,223 Method of welding workpieces and apparatus for carrying it out |

- 16 [6,084,221 Aluminum nitride heater](#)
- 17 [6,084,200 Plasma torch having a pivotable electrode](#)
- 18 [6,084,184 Checkweigher which weighs product suspended by flange](#)
- 19 [6,084,162 Inbred corn plant 86ISI15 and seeds thereof](#)
- 20 [6,084,161 Inbred corn line ASG25](#)
- 21 [6,084,142 Method of making an improved zeolite catalyst, a product from such method, and the use thereof in the conversion of hydrocarbons](#)
- 22 [6,084,057 Polarizable amines and polyimides for optical alignment of liquid crystals](#)
- 23 [6,084,055 Method for preparing poly\(1,4-cyclohexanedicarboxylates\)](#)
- 24 [6,084,042 Mixed titanium-vanadium catalysts for solution ethylene polymerization](#)
- 25 [6,084,029 High temperature polyolefin based adhesive film with improved polarity for adhering to polyurethane foams](#)
- 26 [6,084,020 Non-stick polymer-coated articles of manufacture, and process and coatings for the production thereof](#)
- 27 [6,084,018 Pulverulent adhesive](#)
- 28 [6,084,015 Rubber composition](#)
- 29 [6,084,011 Freeze/thaw resistant cementitious adhesive for composite materials and method for production thereof](#)
- 30 [6,084,009 Powder paint compositions](#)
- 31 [6,083,996 Topical compositions for NSAI drug delivery](#)
- 32 [6,083,994 Aqueous bactericidal compositions based on synergistic combination of linear alkylbenzenesulfonates and n-propanol](#)
- 33 [6,083,935 Biocompatible aqueous solution for use in continuous ambulatory peritoneal dialysis](#)
- 34 [6,083,922 Method and a tobramycin aerosol formulation for treatment prevention and containment of tuberculosis](#)
- 35 [6,083,918 Use of collagen for the treatment of degenerative articular processes](#)
- 36 [6,083,902 Recombinant fibrin chains, fibrin and fibrin-homologs](#)
- 37 [6,083,900 Use of an organopolysiloxane for the fixing and/or sustained release of perfume](#)
- 38 [6,083,897 Solubilization of low 2-phenyl alkylbenzene sulfonates](#)
- 39 [6,083,891 Water-based sweeping compound](#)
- 40 [6,083,890 Acidic cleaning compositions containing low acetate xanthan gum](#)
- 41 [6,083,870 Alkaline earth metal compound-supported silver catalysts](#)
- 42 [6,083,867 Hybrid catalyst system for converting hydrocarbons and a method of making and using such catalyst system](#)
- 43 [6,083,855 Methods of manufacturing voidless resin impregnated webs](#)
- 44 [6,083,844 Techniques for etching an oxide layer](#)
- 45 [6,083,837 Fabrication of components by coining](#)
- 46 [6,083,773 Methods of forming flip chip bumps and related flip chip bump constructions](#)
- 47 [6,083,729 Methods for isolating polyhydroxyalkanoates from plants](#)
- 48 [6,083,722 Borrelia antigen](#)
- 49 [6,083,717 Upstream activator sequences and recombinant promoter sequences functional in yarrowia and vectors containing them](#)

50 6,083,691 Detection of conversion to mucoidy in Pseudomonas aeruginosa infecting cystic fibrosis patients

[Next List](#)

[Top](#)

[Shopping Cart](#)

[Help](#)

[Home](#)

[Boolean](#)

[Manual](#)

[Number](#)

[Order Copy](#)

[PTOLs](#)